

### IMPORTANT NOTE


- No dealer or distributor is allowed to sell Ziewnic products at prices lower than the official price list.
- If any dealer or distributor is found involved in undercutting, they will be required to pay a penalty of 10% of the invoice amount.
- Full responsibility for this penalty will lie with the concerned dealer or distributor, and no compromise, adjustment, or concession will be made in this regard.
- If any dealer or distributor is found involved in undercutting more than two times, their dealership or distributorship will be terminated immediately.

This policy is being implemented to protect Ziewnic's brand value, market stability, and the interests of all authorized Distributors, and will be strictly enforced

- کسی بھی ڈیلر یا ڈسٹری بیوٹر کو اس بات کی اجازت نہیں ہے کہ وہ Ziewnic کی مصنوعات مقررہ پرائس لسٹ سے کم قیمت پر فروخت کرے۔
  - اگر کوئی ڈیلر یا ڈسٹری بیوٹر انڈر کٹنگ کرتے ہوئے پایا گیا تو اسے متعلقہ انوائس اماؤنٹ کا 10% جرمانہ ادا کرنا ہوگا۔
  - اس جرمانے کی مکمل ذمہ داری متعلقہ ڈیلر یا ڈسٹری بیوٹر پر ہوگی اور اس حوالے سے کسی قسم کی کوئی رعایت یا سمجھوتہ نہیں کیا جائے گا۔
  - اگر کوئی ڈیلر یا ڈسٹری بیوٹر دو مرتبہ سے زیادہ انڈر کٹنگ کرتے ہوئے پکڑا گیا تو اس کی ڈیلرشپ یا ڈسٹری بیوٹیشن فوری طور پر ختم کر دی جائے گی۔
- یہ پالیسی Ziewnic کے برانڈ ویلیو، مارکیٹ اسٹیبلٹی اور تمام ڈسٹری بیوٹر کے مفاد کو مد نظر رکھتے ہوئے نافذ کی جا رہی ہے، اور اس پر سختی سے عملدرآمد کیا جائے گا۔

CONTACT US!

021 111 000 666  
www.ziewnic.com



MODEL	PRODUCT DETAIL	PRODUCT PRICE
<b>25.6V 100AH</b>	<ul style="list-style-type: none"> <li>• WALL MOUNTED LITHIUM BATTERY ALONG WITH LARGE LCD DISPLAY</li> <li>• TOP BRAND CELL SUCH AS CATL, BYD OR GOTION</li> <li>• LONG LIFESPAN: 6 YEARS WARRANTY, 12+ YEARS LIFE DESIGN</li> <li>• HIGH DENSITY, SMALL SIZE AND WEIGHT</li> <li>• LOAD CAPACITY 25.6V 100AH (2560WH) BATTERY BANK</li> </ul>	<b>146,000/</b>
<b>51.2V 100AH</b>	<ul style="list-style-type: none"> <li>• WALL MOUNTED LITHIUM BATTERY ALONG WITH LARGE LCD DISPLAY</li> <li>• TOP BRAND CELL SUCH AS CATL, BYD OR GOTION</li> <li>• LONG LIFESPAN: 6 YEARS WARRANTY, 12+ YEARS LIFE DESIGN</li> <li>• HIGH DENSITY, SMALL SIZE AND WEIGHT</li> <li>• LOAD CAPACITY 51.2V 100AH (5120WH) BATTERY BANK</li> </ul>	<b>248,000/</b>

**MADE IN CHINA**

**CONTACT US!**  
**021 111 000 666**  
[www.ziewnic.com](http://www.ziewnic.com)



# ROUX

S E R I E S



MODEL	PRODUCT DETAIL	PRODUCT PRICE
<b>PV7000</b> 4.7KW	<ul style="list-style-type: none"> <li>• IP54 INVERTER WITH ALUMINIUM CASING AND PCBA REPLACEMENT WARRANTY + LIFE TIME REPAIRABLE</li> <li>• SUPPORT LITHIUM BATTERY ACTIVATION &amp; WAKE-UP START FUNCTION</li> <li>• HIGH PV INPUT VOLTAGE RANGE (60-500 VDC)</li> <li>• ACCORDING TO USER NEEDS, MANY PARAMETERS CAN BE ADJUSTED</li> <li>• BUILT-IN WI-FI FOR END-USER CAN MONITOR YIELDS AT ANY TIME.</li> </ul>	<b>134,000/</b>
<b>PV9000</b> 6.7KW	<ul style="list-style-type: none"> <li>• IP54 INVERTER WITH ALUMINIUM CASING AND PCBA REPLACEMENT WARRANTY + LIFE TIME REPAIRABLE</li> <li>• SUPPORT LITHIUM BATTERY ACTIVATION &amp; WAKE-UP START FUNCTION</li> <li>• HIGH PV INPUT VOLTAGE RANGE (60-500 VDC)</li> <li>• ACCORDING TO USER NEEDS, MANY PARAMETERS CAN BE ADJUSTED</li> <li>• BUILT-IN WI-FI FOR END-USER CAN MONITOR YIELDS AT ANY TIME.</li> </ul>	<b>167,000/</b>
<b>PV15000</b> 11.7KW	<ul style="list-style-type: none"> <li>• IP54 INVERTER WITH ALUMINIUM CASING AND PCBA REPLACEMENT WARRANTY + LIFE TIME REPAIRABLE</li> <li>• SUPPORT LITHIUM BATTERY ACTIVATION &amp; WAKE-UP START FUNCTION</li> <li>• HIGH PV INPUT VOLTAGE RANGE (60-500 VDC)</li> <li>• ACCORDING TO USER NEEDS, MANY PARAMETERS CAN BE ADJUSTED</li> <li>• BUILT-IN WI-FI FOR END-USER CAN MONITOR YIELDS AT ANY TIME.</li> </ul>	<b>345,000/</b>

EUROPEAN VERSION ROUX IP54

**CONTACT US!**  
**021 111 000 666**  
[www.ziewnic.com](http://www.ziewnic.com)



**IP65**  
PROTECTION  
AGAINST DUST AND WATER

**LenoX**  
3.0 SERIES  
L-SP-HYBRID

### MODEL

### PRODUCT DETAIL

### PRODUCT PRICE

**PV8000**  
**6KW**

- IP65 WATER-PROOF DESIGN, RESISTANT TO BAD WEATHER, ENHANCE STABILITY
- FIRST EUROPEAN VERSION 14 PCBA BASED INVERTER
- EXTERNAL DESIGN, EASIER TO REPLACE FAULTY EQUIPMENT
- END-USER CAN MONITOR YIELDS AT ANY TIME.
- 6 TIME PERIODS FOR BATTERY CHARGING / DISCHARGING

**230,000/**

**PV10500**  
**8KW**

- IP65 WATER-PROOF DESIGN, RESISTANT TO BAD WEATHER, ENHANCE STABILITY
- FIRST EUROPEAN VERSION 14 PCBA BASED INVERTER
- EXTERNAL DESIGN, EASIER TO REPLACE FAULTY EQUIPMENT
- END-USER CAN MONITOR YIELDS AT ANY TIME.
- 6 TIME PERIODS FOR BATTERY CHARGING / DISCHARGING

**320,000/**

**PV16000**  
**10KW**

- IP65 WATER-PROOF DESIGN, RESISTANT TO BAD WEATHER, ENHANCE STABILITY
- FIRST EUROPEAN VERSION 14 PCBA BASED INVERTER
- EXTERNAL DESIGN, EASIER TO REPLACE FAULTY EQUIPMENT
- END-USER CAN MONITOR YIELDS AT ANY TIME.
- 6 TIME PERIODS FOR BATTERY CHARGING / DISCHARGING

**380,000/**

**EUROPEAN VERSION LENOX IP65**

**CONTACT US!**

**021 111 000 666**  
[www.ziewnic.com](http://www.ziewnic.com)



MODEL	PRODUCT DETAIL	PRODUCT PRICE
-------	----------------	---------------

**PV15600**  
**12KW**  
**THREE - PHASE**

- IP65 WATER-PROOF DESIGN, RESISTANT TO BAD WEATHER, ENHANCE STABILITY
- FIRST EUROPEAN VERSION 14 PCBA BASED INVERTER
- EXTERNAL DESIGN, EASIER TO REPLACE FAULTY EQUIPMENT
- END-USER CAN MONITOR YIELDS AT ANY TIME.
- 6 TIME PERIODS FOR BATTERY CHARGING / DISCHARGING

**580,000/**

**PV20000**  
**16KW**  
**THREE - PHASE**

- IP65 WATER-PROOF DESIGN, RESISTANT TO BAD WEATHER, ENHANCE STABILITY
- FIRST EUROPEAN VERSION 14 PCBA BASED INVERTER
- EXTERNAL DESIGN, EASIER TO REPLACE FAULTY EQUIPMENT
- END-USER CAN MONITOR YIELDS AT ANY TIME.
- 6 TIME PERIODS FOR BATTERY CHARGING / DISCHARGING

**620,000/**

**EUROPEAN VERSION LENOX IP65**

**CONTACT US!**

**021 111 000 666**  
[www.ziewnic.com](http://www.ziewnic.com)



MODEL	PRODUCT DETAIL	PRODUCT PRICE
-------	----------------	---------------

**MAX SERIES**  
PV-4200  
3.5KW - Hybrid

- CONFORMAL COATING TO PREVENT FROM DUST AND HUMIDITY
- COMPATIBLE WITH ALL KINDS OF LITHIUM BATTERIES
- MPPT BASED SOLAR CHARGE CONTROLLER (100A)
- 100% PURE SINE WAVE SOLAR INVERTER

**67,000/**

**SUNTL - M2**  
PV-15000(On-Grid)  
10KW - 3Phase

- DUAL MPPT For Efficient tracking Particular design for anywhere smart string monitoring
- Greater Reliability, IP65 ingress protection 10+years R&D Accumulation and support
- Comply with international quality standards tested by TUV, BV, Dekra
- EASY TO USE: Quick and easy to install with basic tools Sufficient installation accessories and various optional accessories Quick set up Wi-Fi to APP

**175,000/**

**Z6 EUROPEAN**  
PV-8500 (PARALLEL)  
7KVA - HYBRID

- Single Phase Inverter, Supports three phase when installed in Parallel
- Built-in Wi-Fi (10 meter range) & available for Android devices
- Inverter running with battery & without battery
- Built-in Battery equalizations/BMS (Battery Management System)
- Parallel upto 9 Units
- Built-in Dual MPPT parallel based 8500W solar charge controller (160A)

**145,000/**



# Z5

SERIES

MODEL	PRODUCT DETAIL	PRODUCT PRICE
<b>PV4000</b> 3.2KVA	<ul style="list-style-type: none"> <li>REAL 6TH GEN INVERTER, SUPPORTING HIGH EFFICIENCY MOSFET, 3 CHOPPER</li> <li>INVERTER SUPPORTS MULTIPLE OPERATION MODES (ON/OFF/MKS/KS)</li> <li>DUAL OUTPUT FOR HEAVY AND NORMAL LOAD (INDECTIVE LOAD)</li> <li>TWO PV PORT PARALLEL BASED 32A</li> <li>EUROPEAN DESIGN AND ENGINEERED IN TAIWAN</li> </ul>	<b>83,000/</b>
<b>PV6500</b> 4.5KW	<ul style="list-style-type: none"> <li>REAL 6TH GEN INVERTER, SUPPORTING HIGH EFFICIENCY MOSFET, 3 CHOPPER</li> <li>INVERTER SUPPORTS MULTIPLE OPERATION MODES (ON/OFF/MKS/KS)</li> <li>DUAL OUTPUT FOR HEAVY AND NORMAL LOAD (INDECTIVE LOAD)</li> <li>TWO PV PORT PARALLEL BASED 32A</li> <li>EUROPEAN DESIGN AND ENGINEERED IN TAIWAN</li> </ul>	<b>105,000/</b>
<b>PV8500</b> 6.5KW	<ul style="list-style-type: none"> <li>REAL 6TH GEN INVERTER, SUPPORTING HIGH EFFICIENCY MOSFET, 3 CHOPPER</li> <li>INVERTER SUPPORTS MULTIPLE OPERATION MODES (ON/OFF/MKS/KS)</li> <li>DUAL OUTPUT FOR HEAVY AND NORMAL LOAD (INDECTIVE LOAD)</li> <li>TWO PV PORT PARALLEL BASED 32A</li> <li>EUROPEAN DESIGN AND ENGINEERED IN TAIWAN</li> </ul>	<b>125,000/</b>

**VOLTRONICS POWER TAIWAN**

**CONTACT US!**  
**021 111 000 666**  
[www.ziewnic.com](http://www.ziewnic.com)



# DIAMOND S E R I E S ON/OFF/MKS/KS



MODEL	PRODUCT DETAIL	PRODUCT PRICE
-------	----------------	---------------

**PV6500**  
4.5KW

- REAL 5TH GEN INVERTER, SUPPORTING HIGH EFFICIENCY MOSFET, CHOPPER WITH BIGGER SIZE
- HIGH PV INPUT VOLTAGE RANGE (90-550 VDC)
- SURGE CAPACITY 2\* RATED POWER FOR 5 SECONDS
- INVERTER SUPPORTS MULTIPLE OPERATION MODES (ON/OFF/MKS/KS)
- INVERTER RUNNING WITH BATTERY & WITHOUT BATTERY

**113,000/**

**PV8500**  
6.5KW

- REAL 5TH GEN INVERTER, SUPPORTING HIGH EFFICIENCY MOSFET, CHOPPER WITH BIGGER SIZE
- HIGH PV INPUT VOLTAGE RANGE (90-550 VDC)
- SURGE CAPACITY 2\* RATED POWER FOR 5 SECONDS
- INVERTER SUPPORTS MULTIPLE OPERATION MODES (ON/OFF/MKS/KS)
- 1 BUTTON RESTORE SETTING OPTIONS IN PROGRAM

**138,000/**

**PV13000**  
10.5KW

- REAL 5TH GEN INVERTER, SUPPORTING HIGH EFFICIENCY MOSFET, CHOPPER WITH BIGGER SIZE
- HIGH PV INPUT VOLTAGE RANGE (90-550 VDC)
- SURGE CAPACITY 2\* RATED POWER FOR 5 SECONDS
- INVERTER SUPPORTS MULTIPLE OPERATION MODES (ON/OFF/MKS/KS)
- BATTERY CHARGING CURRENT UPTO 160A (AC+SOLAR)

**258,000/**

**VOLTRONICS POWER TAIWAN**

**CONTACT US!**  
**021 111 000 666**  
[www.ziewnic.com](http://www.ziewnic.com)



# AXPERT TWIN PREMIUM+

MODEL	PRODUCT DETAIL	PRODUCT PRICE
<b>PV5000</b> 4.2KW	<ul style="list-style-type: none"> <li>• AXPERT TWIN PREMIUM PLUS INVERTER SUPPORTS MULTIPLE OPERATION MODES</li> <li>• DUAL AC OUTPUTS FOR SMART LOAD MANAGEMENT</li> <li>• HIGH PV INPUT VOLTAGE RANGE (30-450 VDC)</li> <li>• MAXIMUM INPUT CURRENT 18A IN PV5000</li> <li>• BATTERY EQUALIZATION FUNCTION TO OPTIMIZE BATTERY PERFORMANCE AND EXTEND LIFECYCLE</li> </ul>	<b>95,000/</b>
<b>PV7000</b> 6.2KW	<ul style="list-style-type: none"> <li>• AXPERT TWIN PREMIUM PLUS INVERTER SUPPORTS MULTIPLE OPERATION MODES</li> <li>• DUAL AC OUTPUTS FOR SMART LOAD MANAGEMENT</li> <li>• HIGH PV INPUT VOLTAGE RANGE (90-450 VDC)</li> <li>• MAXIMUM INPUT CURRENT 28A IN PV7000</li> <li>• BATTERY EQUALIZATION FUNCTION TO OPTIMIZE BATTERY PERFORMANCE AND EXTEND LIFECYCLE</li> </ul>	<b>110,000/</b>

**ORIGINAL**  
DESIGN & ENGINEERING IN  
TAIWAN

**CONTACT US!**  
**021 111 000 666**  
[www.ziewnic.com](http://www.ziewnic.com)



# AXPERT

## ULTRA TWIN

### PARALLEL



MODEL	PRODUCT DETAIL	PRODUCT PRICE
<b>PV10000</b> <b>8KW</b>	<ul style="list-style-type: none"> <li>• TWO INDEPENDENT AC POWER SOURCES CONNECTED AND SWITCHED AUTOMATICALLY</li> <li>• MAXIMUM CHARGING CURRENT 150A</li> <li>• RESERVED COMMUNICATION PORT FOR BMS (RS485, CAN-BUS OR RS232)</li> <li>• SUPPORT EXTERNAL BTS (BATTERY TEMPERATURE SENSOR) DETECTION</li> <li>• BATTERY EQUALIZATION FUNCTION TO OPTIMIZE BATTERY PERFORMANCE AND EXTEND LIFECYCLE</li> </ul>	<b>255,000/</b>
<b>PV12000</b> <b>11KW</b>	<ul style="list-style-type: none"> <li>• TWO INDEPENDENT AC POWER SOURCES CONNECTED AND SWITCHED AUTOMATICALLY</li> <li>• MAXIMUM CHARGING CURRENT 150A</li> <li>• RESERVED COMMUNICATION PORT FOR BMS (RS485, CAN-BUS OR RS232)</li> <li>• SUPPORT EXTERNAL BTS (BATTERY TEMPERATURE SENSOR) DETECTION</li> <li>• BATTERY EQUALIZATION FUNCTION TO OPTIMIZE BATTERY PERFORMANCE AND EXTEND LIFECYCLE</li> </ul>	<b>295,000/</b>

**ORIGINAL**  
DESIGN & ENGINEERING IN  
TAIWAN

**CONTACT US!**  
**021 111 000 666**  
[www.ziewnic.com](http://www.ziewnic.com)



# MAX

## SERIES

MODEL	PRODUCT DETAIL	PRODUCT PRICE
DUAL <b>PV2500</b> 1.6KW	<ul style="list-style-type: none"> <li>• WI-FI MONITORING (OPTIONAL)</li> <li>• CONFORMAL COATING TO PREVENT FROM DUST AND HUMIDITY</li> <li>• COMPATIBLE WITH ALL KINDS OF LITHIUM BATTERIES</li> <li>• MPPT BASED SOLAR CHARGE CONTROLLER (100A)</li> <li>• 100% PURE SINE WAVE SOLAR INVERTER</li> <li>• NEW COLOR SCREEN LCD FUNCTION DESIGN WITH TOUCH BUTTONS</li> </ul>	<b>70,000/</b>
DUAL <b>PV5000</b> 3.5KW	<ul style="list-style-type: none"> <li>• SUPPORT RS485, CAN MONITORING FUNTION</li> <li>• CONFORMAL COATING TO PREVENT FROM DUST AND HUMIDITY</li> <li>• COMPATIBLE WITH ALL KINDS OF LITHIUM BATTERIES</li> <li>• MPPT BASED SOLAR CHARGE CONTROLLER (100A)</li> <li>• 100% PURE SINE WAVE SOLAR INVERTER</li> <li>• NEW COLOR SCREEN LCD FUNCTION DESIGN WITH TOUCH BUTTONS</li> </ul>	<b>95,000/</b>
DUAL <b>PV7000</b> 5.5KW	<ul style="list-style-type: none"> <li>• BATTERY CHARGING CURRENT UPTO 160A (AC+SOLAR)</li> <li>• CONFORMAL COATING TO PREVENT FROM DUST AND HUMIDITY</li> <li>• COMPATIBLE WITH ALL KINDS OF LITHIUM BATTERIES</li> <li>• MPPT BASED SOLAR CHARGE CONTROLLER (100A)</li> <li>• 100% PURE SINE WAVE SOLAR INVERTER</li> <li>• NEW COLOR SCREEN LCD FUNCTION DESIGN WITH TOUCH BUTTONS</li> </ul>	<b>110,000/</b>

**VOLTRONICS POWER TAIWAN**

**CONTACT US!**  
**021 111 000 666**  
[www.ziewnic.com](http://www.ziewnic.com)



# DIAMOND.11

S E R I E S



MODEL	PRODUCT DETAIL	PRODUCT PRICE
<b>PV3000</b> <b>2.2KVA</b>	<ul style="list-style-type: none"> <li>● REAL 6TH GEN INVERTER, SUPPORTING HIGH EFFICIENCY MOSFET, CHOPPER WITH BIGGER SIZE.</li> <li>● 100% PURE SINE WAVE SOLAR INVERTER</li> <li>● 98% REAL TIME SHARING</li> <li>● MAXIMUM INPUT CURRENT 18A</li> <li>● OPTIONAL WI-FI AVAILABLE FOR IOS/ANDROID DEVICES</li> <li>● DESIGNED AND ENGINEERED IN TAIWAN</li> </ul>	<b>67,000/</b>
<b>PV4500</b> <b>3.2KVA</b>	<ul style="list-style-type: none"> <li>● REAL 6TH GEN INVERTER, SUPPORTING HIGH EFFICIENCY MOSFET, CHOPPER WITH BIGGER SIZE.</li> <li>● 100% PURE SINE WAVE SOLAR INVERTER</li> <li>● 98% REAL TIME SHARING</li> <li>● MAXIMUM INPUT CURRENT 18A</li> <li>● OPTIONAL WI-FI AVAILABLE FOR IOS/ANDROID DEVICES</li> <li>● DESIGNED AND ENGINEERED IN TAIWAN</li> </ul>	<b>77,000/</b>

**VOLTRONICS POWER TAIWAN**

**CONTACT US!**  
**021 111 000 666**  
[www.ziewnic.com](http://www.ziewnic.com)



# MARVEL SERIES

MODEL	PRODUCT DETAIL	PRODUCT PRICE
<b>MARVEL 5G EUROPEAN PV 8500 (7KVA) HYBRID</b>	<ul style="list-style-type: none"> <li>• 5th Gen European Inverte, Supports three phase when installed in Parallel.</li> <li>• Parallel upto 12 Units</li> <li>• Built-in Dual MPPT parallel based 8500W solar charge controller (160A)</li> <li>• Grid-Tied net metering feature with 100% reverse grid feeding</li> <li>• OPTIONAL Wi-Fi AVAILABLE FOR IOS/ANDROID DEVICES</li> <li>• Energy generated record, load record, history information &amp; fault record</li> </ul>	<b>145,000/</b>
<b>MARVEL 5G EUROPEAN PV 10000 (8.5KVA) HYBRID</b>	<ul style="list-style-type: none"> <li>• 5th Gen European Inverte, Supports three phase when installed in Parallel.</li> <li>• Parallel upto 12 Units</li> <li>• Built-in Dual MPPT parallel based 10000W solar charge controller (160A)</li> <li>• Grid-Tied net metering feature with 100% reverse grid feeding</li> <li>• OPTIONAL Wi-Fi AVAILABLE FOR IOS/ANDROID DEVICES</li> <li>• Energy generated record, load record, history information &amp; fault record</li> </ul>	<b>220,000/</b>

**VOLTRONICS POWER TAIWAN**

**CONTACT US!**  
**021 111 000 666**  
[www.ziewnic.com](http://www.ziewnic.com)



MODEL	PRODUCT DETAIL	PRODUCT PRICE
<p><b>12.8V</b> <b>100AH</b> 1280W/HOUR</p>	<ul style="list-style-type: none"> <li>• SUPPORT IN PARALLELS &amp; SERIES CONNECTION.</li> <li>• BUILT-IN SAFETY PROTECTION</li> <li>• 8000 Life Cycle</li> <li>• ENVIRONMENTAL FRIENDLY, POWERFUL AND RELIABLE</li> <li>• DISCHARGE ENERGY 1280WH</li> <li>• FULL CHARGED VOLTAGE 14.6V</li> <li>• DISCHARGE CUT-OFF VOLTAGE 10V</li> </ul>	<p><b>62,000/</b></p>
<p><b>25.6V</b> <b>100AH</b> 2560W/HOUR</p>	<ul style="list-style-type: none"> <li>• WALL MOUNTED LITHIUM BATTERY ALONG WITH LARGE RGB STATUS LIGHT</li> <li>• 25.6V LIFEPO4 PACK, SUPERIOR SAFETY AND RELIABILITY, 1C/1C CONTINUAL CHARGE AND DISCHARGE (8000 Life Cycle)</li> <li>• AMERICAN CHIP BASED PACE ACTIVE BMS BASED</li> <li>• TOP BRAND CELL SUCH AS BYD, LONG PRISMATIC CELLS</li> <li>• LONG LIFESPAN: 10 YEARS WARRANTY, 20+ YEARS LIFE DESIGN</li> <li>• OVER TEMPERATURE PROTECTION</li> </ul>	<p><b>178,000/</b></p>

**MADE IN VIETNAM**

**CONTACT US!**  
**021 111 000 666**  
[www.ziewnic.com](http://www.ziewnic.com)



MODEL	PRODUCT DETAIL	PRODUCT PRICE
<b>51.2V</b> <b>100AH</b> 5120W/HOUR	<ul style="list-style-type: none"> <li>• WALL MOUNTED LITHIUM BATTERY ALONG WITH LARGE RGB STATUS LIGHT</li> <li>• 51.2V LIFEPO4 PACK, SUPERIOR SAFETY AND RELIABILITY, 1C/1C CONTINUAL CHARGE AND DISCHARGE (8000 Life Cycle)</li> <li>• AMERICAN CHIP BASED PACE ACTIVE BMS BASED</li> <li>• TOP BRAND CELL SUCH AS BYD, LONG PRISMATIC CELLS</li> <li>• LONG LIFESPAN: 10 YEARS WARRANTY, 20+ YEARS LIFE DESIGN</li> <li>• OVER TEMPERATURE PROTECTION</li> </ul>	<b>288,000/</b>
<b>51.2V</b> <b>280AH</b> 14400W/HOUR	<ul style="list-style-type: none"> <li>• WALL MOUNTED LITHIUM BATTERY ALONG WITH LARGE RGB STATUS LIGHT</li> <li>• 51.2V LIFEPO4 PACK, SUPERIOR SAFETY AND RELIABILITY, 1C/1C CONTINUAL CHARGE AND DISCHARGE (8000 Life Cycle)</li> <li>• AMERICAN CHIP BASED PACE ACTIVE BMS BASED</li> <li>• TOP BRAND CELL SUCH AS BYD, LONG PRISMATIC CELLS</li> <li>• LONG LIFESPAN: 10 YEARS WARRANTY, 20+ YEARS LIFE DESIGN</li> <li>• OVER TEMPERATURE PROTECTION</li> </ul>	<b>759,000/</b>

**MADE IN VIETNAM**


**CONTACT US!**  
**021 111 000 666**  
[www.ziewnic.com](http://www.ziewnic.com)



**ZIEWNIC<sup>®</sup>**  
SOLAR ENERGY

# PRICE LIST

## MARCH 2026



**LOBO**  
SERIES

MODEL	PRODUCT DETAIL	PRODUCT PRICE
<b>PV7000</b> 5KW	<ul style="list-style-type: none"> <li>FIRST TIME IN PAKISTAN PV CONVERTER SUPPORT BIGGEST SIZE SOLAR PANELS 1000W</li> <li>PURE SINE WAVE SOLAR CONVERTER</li> <li>CAN WORK IN ON / OFF GRID MODE</li> <li>BUILD IN HIGH EFFICIENCY MPPT SOLAR CONTROLLER</li> <li>WIDE PV INPUT VOLTAGE : 60 - 500VDC</li> <li>DUAL MPPT SOLAR CONTROLLER FOR DIFFERENT GROUPS SOLAR PANEL</li> <li>ALL INFORMATION DISPLAY ON A SINGLE LCD INTERFACE</li> </ul>	<b>42,000/-</b>
<b>PV9000</b> 6KW	<ul style="list-style-type: none"> <li>FIRST TIME IN PAKISTAN PV CONVERTER SUPPORT BIGGEST SIZE SOLAR PANELS 1000W</li> <li>PURE SINE WAVE SOLAR CONVERTER</li> <li>CAN WORK IN ON / OFF GRID MODE</li> <li>BUILD IN HIGH EFFICIENCY MPPT SOLAR CONTROLLER</li> <li>WIDE PV INPUT VOLTAGE : 60 - 500VDC</li> <li>DUAL MPPT SOLAR CONTROLLER FOR DIFFERENT GROUPS SOLAR PANEL</li> <li>ALL INFORMATION DISPLAY ON A SINGLE LCD INTERFACE</li> </ul>	<b>45,000/-</b>
<b>PV10000</b> 7KW	<ul style="list-style-type: none"> <li>BUILD IN FEEDBACK DETECTION CURRENT SENSOR</li> <li>COMMUNICATION INTERFACE FOR WI-FI OPTIONAL</li> <li>FAST ISLANDING RESPONSE ENSURES SECURITY</li> <li>EASY TO REPLACE DUST SCREEN DESIGN</li> <li>BATTERY INDEPENDENT DESIGN, NO NEED BATTERY</li> <li>SUPPORT TOPCON / HJT / HIMO10 PANELS</li> <li>GRID FEEDING BACK TO GRID</li> </ul>	<b>52,000/-</b>

**PV7000**  
5KW

- FIRST TIME IN PAKISTAN PV CONVERTER SUPPORT BIGGEST SIZE SOLAR PANELS 1000W
- PURE SINE WAVE SOLAR CONVERTER
- CAN WORK IN ON / OFF GRID MODE
- BUILD IN HIGH EFFICIENCY MPPT SOLAR CONTROLLER
- WIDE PV INPUT VOLTAGE : 60 - 500VDC
- DUAL MPPT SOLAR CONTROLLER FOR DIFFERENT GROUPS SOLAR PANEL
- ALL INFORMATION DISPLAY ON A SINGLE LCD INTERFACE

**42,000/-**

**PV9000**  
6KW

- FIRST TIME IN PAKISTAN PV CONVERTER SUPPORT BIGGEST SIZE SOLAR PANELS 1000W
- PURE SINE WAVE SOLAR CONVERTER
- CAN WORK IN ON / OFF GRID MODE
- BUILD IN HIGH EFFICIENCY MPPT SOLAR CONTROLLER
- WIDE PV INPUT VOLTAGE : 60 - 500VDC
- DUAL MPPT SOLAR CONTROLLER FOR DIFFERENT GROUPS SOLAR PANEL
- ALL INFORMATION DISPLAY ON A SINGLE LCD INTERFACE

**45,000/-**

**100% IMPORTED**

**PV10000**  
7KW

- BUILD IN FEEDBACK DETECTION CURRENT SENSOR
- COMMUNICATION INTERFACE FOR WI-FI OPTIONAL
- FAST ISLANDING RESPONSE ENSURES SECURITY
- EASY TO REPLACE DUST SCREEN DESIGN
- BATTERY INDEPENDENT DESIGN, NO NEED BATTERY
- SUPPORT TOPCON / HJT / HIMO10 PANELS
- GRID FEEDING BACK TO GRID

**52,000/-**



**MADE IN TAIWAN**

**CONTACT US!**

**021 111 000 666**  
[www.ziewnic.com](http://www.ziewnic.com)



**ZIEWNIC**<sup>®</sup>  
SOLAR ENERGY

# PRICE LIST

## MARCH 2026



**ROUX**  
**LITE** SERIES

MODEL	PRODUCT DETAIL	PRODUCT PRICE
-------	----------------	---------------

**PV6000**  
**4.2KW**

- Roux Lite Series Inverter supports Multiple operation modes (ON/OFF/MKS/KS)
- High PV input voltage range (60-500 VDC)
- Output power factor 1.0
- Battery charging current upto 220A (AC+Solar)
- Inverter running with battery & without battery
- Record fault code feature in program (25)
- Adaptable to main Voltage / Generator power
- Surge Capacity 2\* Rated Power for 5 Seconds

**115,000/**

**PV8000**  
**6.2KW**

- Built-in automatic electronics breaker for overload & short circuit protection
- New Color Screen LCD function design with touch buttons
- Built-in anti dust for harsh environment
- Compatible with all kinds of Lithium Batteries
- 98% Real time sharing
- Overload Protection on 120% Load
- Maximum input current 27A/32A
- Grid-Tied net-metering feature
- European Standard Design and engineering

**135,000/**



**MADE IN TAIWAN**

**CONTACT US!**

**021 111 000 666**  
[www.ziewnic.com](http://www.ziewnic.com)



**IP54**  
PROTECTION  
DUST AND WATER RESISTANCE

**ROUX**  
MINI SERIES

MODEL	PRODUCT DETAIL	PRODUCT PRICE
-------	----------------	---------------

**PV5000**  
**3.5KW**

- Roux Mini Inverter supports Multiple operation modes (ON/OFF/MKS/KS)
- High PV input voltage range (60-500 VDC)
- Adaptable to main Voltage / Generator power
- Output power factor 1.0
- Battery charging current upto 220A (AC+Solar)
- Record fault code feature in program (25)
- Inverter running with battery & without battery
- Surge Capacity 2\* Rated Power for 5 Seconds

**85,000/-**

**MADE IN TAIWAN**



**3 Years**  
**Replacement**  
**Warranty**

**CONTACT US!**

**021 111 000 666**  
[www.ziewnic.com](http://www.ziewnic.com)



**ZIEWNIC**<sup>®</sup>  
S O L A R   E N E R G Y

# PRICE LIST

## MARCH 2026



**IP54**  
PROTECTION  
DUST AND WATER RESISTANCE

**ROUX**  
ULTRA SERIES



MODEL	PRODUCT DETAIL	PRODUCT PRICE
-------	----------------	---------------

DUAL MPPT  
**PV12000**  
8.5KW

- REAL 6TH GEN INVERTER, SUPPORTING HIGH EFFICIENCY MOSFET, CHOPPER WITH BIGGER SIZE
- INVERTER SUPPORTS MULTIPLE OPERATION MODES (ON/OFF/MKS/KS)
- SURGE CAPACITY 2\* RATED POWER FOR 5 SECONDS
- HIGH PV INPUT VOLTAGE RANGE (90-550 VDC)
- 1 BUTTON RESTORE SETTING OPTIONS IN PROGRAM

**250,000/**

DUAL MPPT  
**PV15000**  
10.5KW

- REAL 6TH GEN INVERTER, SUPPORTING HIGH EFFICIENCY MOSFET, CHOPPER WITH BIGGER SIZE
- INVERTER SUPPORTS MULTIPLE OPERATION MODES (ON/OFF/MKS/KS)
- SURGE CAPACITY 2\* RATED POWER FOR 5 SECONDS
- HIGH PV INPUT VOLTAGE RANGE (90-550 VDC)
- BATTERY CHARGING CURRENT UPTO 160A (AC+SOLAR)

**310,000/**

**3Years**  
Replacement  
Warranty

MADE IN TAIWAN

CONTACT US!

**021 111 000 666**  
[www.ziewnic.com](http://www.ziewnic.com)

### IMPORTANT NOTE

- No dealer or distributor is allowed to sell Ziewnic products at prices lower than the official price list.
- If any dealer or distributor is found involved in undercutting, they will be required to pay a penalty of 10% of the invoice amount.
- Full responsibility for this penalty will lie with the concerned dealer or distributor, and no compromise, adjustment, or concession will be made in this regard.
- If any dealer or distributor is found involved in undercutting more than two times, their dealership or distributorship will be terminated immediately.

This policy is being implemented to protect Ziewnic's brand value, market stability, and the interests of all authorized Distributors, and will be strictly enforced

- کسی بھی ڈیلر یا ڈسٹری بیوٹر کو اس بات کی اجازت نہیں ہے کہ وہ Ziewnic کی مصنوعات مقررہ پرائس لسٹ سے کم قیمت پر فروخت کرے۔
  - اگر کوئی ڈیلر یا ڈسٹری بیوٹر انڈر کٹنگ کرتے ہوئے پایا گیا تو اسے متعلقہ انوائسز کا 10% جرمانہ ادا کرنا ہوگا۔
  - اس جرمانے کی مکمل ذمہ داری متعلقہ ڈیلر یا ڈسٹری بیوٹر پر ہوگی اور اس حوالے سے کسی قسم کی کوئی رعایت یا سمجھوتہ نہیں کیا جائے گا۔
  - اگر کوئی ڈیلر یا ڈسٹری بیوٹر دو مرتبہ سے زیادہ انڈر کٹنگ کرتے ہوئے پکڑا گیا تو اس کی ڈیلرشپ یا ڈسٹری بیوٹیشن فوری طور پر ختم کر دی جائے گی۔
- یہ پالیسی Ziewnic کے برانڈ ویلیو، مارکیٹ اسٹیبلٹی اور تمام ڈسٹری بیوٹر کے مفاد کو مد نظر رکھتے ہوئے نافذ کی جا رہی ہے، اور اس پر سختی سے عملدرآمد کیا جائے گا۔

CONTACT US!

021 111 000 666  
www.ziewnic.com